

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : NALCO® EC6106A

Other means of identification : Not applicable.

Recommended use : BIOCIDES

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Champion Company  
7705 Highway 90-A  
Sugar Land, Texas 77478  
USA  
TEL: (281) 263-7000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 05/18/2015

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 1

Skin corrosion/irritation : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Central Nervous System)

Acute toxicity (Oral) : Category 3

**GHS Label element**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.  
Causes serious eye damage.  
Causes severe skin burns and eye damage.  
Toxic if swallowed.  
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.

# SAFETY DATA SHEET

**NALCO® EC6106A**

## Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Other hazards** : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Isopropanol	67-63-0	10 - 30
(C12-C18) N-Alkylpropylenediamine	68155-37-3	30.1

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.

## SAFETY DATA SHEET

### NALCO® EC6106A

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx)
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

#### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Stainless Steel 304, Stainless Steel 316L, Mild steel, Aluminum, Buna-N, Hastelloy C-276, Polyethylene, Nylon, HDPE (high density polyethylene), Polypropylene, EPDM, Ethylene propylene, PVC, Plexiglass, Polytetrafluoroethylene/polypropylene copolymer, Chlorosulfonated polyethylene rubber, PTFE, Perfluoroelastomer  
The following compatibility data is suggested based on similar product data and/or industry experience:

# SAFETY DATA SHEET

**NALCO® EC6106A**

Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Copper, Neoprene, Polyurethane, Natural rubber, Fluoroelastomer  
The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m <sup>3</sup>	NIOSH REL
		STEL	500 ppm 1,225 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm 980 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : clear

Odour : Mild

Flash point : 25 °C  
Method: ASTM D 93, Pensky-Martens closed cup

## SAFETY DATA SHEET

### NALCO® EC6106A

pH	: no data available
Odour Threshold	: no data available
Melting point/freezing point	: POUR POINT: -37 °C
Initial boiling point and boiling range	: 96.1 °C (760 mm Hg)
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.94 (20 °C)
Density	: 7.83 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: 16 mm <sup>2</sup> /s (37.78 °C)
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx)

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.

## SAFETY DATA SHEET

**NALCO® EC6106A**

- Skin : Causes severe skin burns.
- Ingestion : Toxic if swallowed. Causes digestive tract burns.
- Inhalation : May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects.
- Chronic Exposure : Health injuries are not known or expected under normal use.

### Experience with human exposure

- Eye contact : Redness, Pain, Corrosion
- Skin contact : Redness, Pain, Corrosion
- Ingestion : Corrosion, Abdominal pain
- Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

### Toxicity

#### Product

- Acute oral toxicity : LD50 rat: 5,840 mg/kg  
Test substance: Hazardous component
- Acute inhalation toxicity : LC50 rat: 12000 ppm  
Exposure time: 8 hrs  
Test substance: Hazardous component
- Acute dermal toxicity : LD50 rabbit: 13,000 mg/kg  
Test substance: Hazardous component
- Skin corrosion/irritation : no data available
- Serious eye damage/eye irritation : Result: Mild eye irritation
- Respiratory or skin sensitization : no data available
- Carcinogenicity : no data available
- Reproductive effects : no data available
- Germ cell mutagenicity : no data available
- Teratogenicity : no data available
- STOT - single exposure : no data available
- STOT - repeated exposure : no data available
- Aspiration toxicity : no data available

## Section: 12. ECOLOGICAL INFORMATION

# SAFETY DATA SHEET

**NALCO® EC6106A**

## Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

## Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Mysid Shrimp (*Mysidopsis bahia*): > 9,999 mg/l  
Exposure time: 96 hrs  
Test substance: Product

## Components

Toxicity to fish : Isopropanol  
LC50 *Pimephales promelas* (fathead minnow): 9,640 mg/l  
Exposure time: 96 h

## Components

Toxicity to bacteria : Isopropanol  
1,050 mg/l

## Persistence and degradability

no data available

## Mobility

no data available

## Bioaccumulative potential

no data available

## Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

## SAFETY DATA SHEET

**NALCO® EC6106A**

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
Technical name(s) : ISOPROPANOL, ALKYL AMINES  
UN/ID No. : UN 2924  
Transport hazard class(es) : 3, 8  
Packing group : III

### Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
Technical name(s) : ISOPROPANOL, ALKYL AMINES  
UN/ID No. : UN 2924  
Transport hazard class(es) : 3, 8  
Packing group : III

### Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
Technical name(s) : ISOPROPANOL, ALKYL AMINES  
UN/ID No. : UN 2924  
Transport hazard class(es) : 3, 8  
Packing group : III

## Section: 15. REGULATORY INFORMATION

**EPA Reg. No.** : 68708-6

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)



# SAFETY DATA SHEET

## NALCO® EC6106A

### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

This product contains substance(s) which are not listed on the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL).

### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

### CHINA

This product contains substance(s) which are not in compliance with the Provisions on the Environmental Administration of New Chemical Substances and may require additional review.

### EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

### JAPAN

This product contains substance(s) which are not in compliance with the Law Regulating the Manufacture and Importation Of Chemical Substances and are not listed on the Existing and New Chemical Substances list (ENCS).

### KOREA


This product contains substance(s) which are not in compliance with the Toxic Chemical Control Law (TCCL) and may require additional review.

### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 05/18/2015  
Version Number : 1.0  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

## **SAFETY DATA SHEET**

**NALCO® EC6106A**

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.  
For additional copies of an MSDS visit [www.nalco.com](http://www.nalco.com) and request access.